

Date received: 03/08/20

Date of issue: 25/08/20

Report consists of 8 test reports.

Defects before testing: None

Sample name: CROSS 75 cm bar stool

ISILPLAST PLASTIK SAN. VE TIC. A.S. (SIESTA

EXCL.)

ULUS MAH. CATALCA YOLU CAD. NO: 597 34537 TEPECIK, BUYUKCEKMECE-ISTANBUL

TR - TURKEY

# **SAMPLE N° 294881**

Overall dimensions: 440 x 530 x 1070 (h) mm

## List of test reports:

- 1. Outdoor furniture General safety requirements EN 581-1:2017
- 2. Stability EN 1022:2018, clause 7.3
- 3. Seat and back static load test EN 1728:2012+AC:2013
- 4. Seat and back fatigue test EN 1728:2012+AC:2013
- 5. Leg forward static load test EN 1728:2012+AC:2013
- 6. Leg sideways static load test EN 1728:2012+AC:2013
- 7. Seat impact test EN 1728:2012+AC:2013
- 8. Foot rest static load test EN 1728:2012+AC:2013



This document is validated by digital signature and time stamping in accordance with the Italian laws and the European Directives which regulate the electronic signature systems.

Managing Director Dr. Andrea Giavon



# **SAMPLE N° 294881**

Date of issue: 25/08/20

Sample weight: Not determined

Sample name: CROSS 75 cm bar stool



Side view



Bottom view



Rear view



Testing site: via Antica, 24/3 33048 San Giovanni al Natisone (UD) tel. +39 0432 747211 lab@catas.com



LAB N° 0027 Membro degli MRA EA, IAF e ILAC

# TEST REPORT

294881 / 1

Revision: 0

 Date received:
 03/08/20

 Date of test:
 12/08/20

 Date of issue:
 25/08/20

Sample name: CROSS 75 cm bar stool



ISILPLAST PLASTIK SAN. VE TIC. A.S. (SIESTA EXCL.)
ULUS MAH. CATALCA YOLU CAD. NO: 597
34537 TEPECIK, BUYUKCEKMECE-ISTANBUL
TR - TURKEY

# Outdoor furniture - General safety requirements EN 581-1:2017

#### 5.1 General:

Requirement	Observed	Remarks
Edges of seat, back rest and arm rests rounded and chamfered	Yes	None
All other parts: free from burrs, sharp edges and sharp points.	Yes	None
Movable and adjustable parts designed so that injuries and inadvertent operation are avoided	Not present	None
Any load bearing part of forniture not come loose unintentionally	Yes	None
Lubricated parts are protected	Not present	None

## 5.2 Tubular components:

Requirement	Observed	Remarks
Absence of tubular components with diameter > 7 mm and < 12 mm with a depth > 10 mm.	Yes	None
Tubulars in contact with the floor are closed. Holes in them are allowed as long as they are < 7 mm or > 12 mm	Yes	None

## 5.3 Shear and squeeze points:

e.e official and equeeze points.					
Requirement	Observed	Remarks			
Shear and squeeze points that are created only during adjusting and folding away are acceptable if the user has the control of his/her movements.	Not present	None			
Absence of shear and squeeze points, created by parts operated by powered mechanism.	Not present	None			
Absence of shear and squeeze points, created by loads applied during normal use.	Yes	None			

Conformity to requirements of clause 5 of standard EN 581-1:2017:
---

This document is validated by digital signature and time stamping in accordance with the Italian laws and the European Directives which regulate the electronic signature systems.

naging Director Andrea Giavon

signature systems.



Testing site: via Antica, 24/3 33048 San Giovanni al Natisone (UD) tel. +39 0432 747211 lab@catas.com



LAB N° 0027 Membro degli MRA EA, IAF e ILAC

# **TEST REPORT** 294881 / 2

Revision:

Date received: 03/08/20 Date of test: 13/08/20 Date of issue: 25/08/20

Sample name: CROSS 75 cm bar stool



ISILPLAST PLASTIK SAN. VE TIC. A.S. (SIESTA ULUS MAH. CATALCA YOLU CAD. NO: 597 34537 TEPECIK, BUYUKCEKMECE-ISTANBUL TR - TURKEY

## **Stability EN 1022:2018, clause 7.3**

Type of chair: fixed geometry

Positioning of chair components: as specified in Table 1 of EN 1022:2018

Loads and masses according to table B1 of EN 1022:2018, annex B

## Forwards overturning

Forwards overturning, clause 7.3.1 does not overturn

Forwards overturning for seating with foot rest, clause 7.3.2 overturns with the vertical force only

Corner stability, clause 7.3.3 does not overturn

Sideways overturning

Sideways overturning, all seating without arm rests, clause 7.3.4 does not overturn

Seating with arm rests, clause 7.3.5.2 Seating with raised side edges, clause 7.3.5.3

Rearwards overturning

Rearwards overturning all seating with back rests, clause 7.3.6

Minimum force required: 80 N does not overturn

Tilting seating, clause 7.4.2 Reclining seating with leg rest, clause 7.4.3 Reclining seating without leg rest, clause 7.4.4 Rearwards stability test for rocking chairs, clause 7.4.5

The test results do not comply with the requirements in clause 7.2 of EN 1022:2018.

This document is validated by digital signature and time stamping in accordance with the Italian laws and the European Directives which regulate the electronic

signature systems.

anaging Director Andrea Giavon



Testing site: via Antica, 24/3 33048 San Giovanni al Natisone (UD) tel. +39 0432 747211 lab@catas.com



LAB N° 0027 Membro degli MRA EA, IAF e ILAC

# TEST REPORT

294881 / 3

Revision: 0

 Date received:
 03/08/20

 Date of test:
 17/08/20

 Date of issue:
 25/08/20

Sample name: CROSS 75 cm bar stool



ISILPLAST PLASTIK SAN. VE TIC. A.S. (SIESTA EXCL.)
ULUS MAH. CATALCA YOLU CAD. NO: 597
34537 TEPECIK, BUYUKCEKMECE-ISTANBUL
TR - TURKEY

## Seat and back static load test EN 1728:2012+AC:2013

## Test performed according to EN 581-2:2015

Seat and back static load test, clause 6.4, EN 1728:2012+AC:2013

#### Test results:

Seat load N	Back force N	Number of cycles	Remarks
1.600	410	10 x 10 s	No defects
1.600	410	1 x 30 min	No defects

Seat front edge static load, clause 6.5, EN 1728:2012+AC:2013

Seat load N	Number of cycles	Remarks
1.300	10	No defects

#### Note:

The test results comply with the requirements in clause 7.2.2 a), b), c) and d) of EN 581-2:2015, domestic level.

This document is validated by digital signature and time stamping in accordance with the Italian laws and the European Directives which regulate the electronic signature systems.

customer; in this case the test results are referred to the sample as received.

aging Director Andrea Giavon



Testing site: via Antica, 24/3 33048 San Giovanni al Natisone (UD) tel. +39 0432 747211 lab@catas.com



LAB N° 0027 Membro degli MRA EA, IAF e ILAC

## **TEST REPORT**

294881 / 4

Revision: 0

 Date received:
 03/08/20

 Date of test:
 17/08/20

 Date of issue:
 25/08/20

Sample name: CROSS 75 cm bar stool



ISILPLAST PLASTIK SAN. VE TIC. A.S. (SIESTA EXCL.)
ULUS MAH. CATALCA YOLU CAD. NO: 597
34537 TEPECIK, BUYUKCEKMECE-ISTANBUL
TR - TURKEY

# Seat and back fatigue test EN 1728:2012+AC:2013

## Test performed according to EN 581-2:2015

Seat and back fatigue test, clause 6.17, EN 1728:2012+AC:2013

#### Test results:

Seat force N	Back force N	Number of cycles	Remarks
1.000	333	25.000	No defects

## Note:

The test results comply with the requirements in clause 7.2.2 a), b), c) and d) of EN 581-2:2015, domestic level.

This document is validated by digital signature and time stamping in accordance with the Italian laws and the European Directives which regulate the electronic signature systems.

naging Director Andrea Giavon

signature systems.



Testing site: via Antica, 24/3 33048 San Giovanni al Natisone (UD) tel. +39 0432 747211 lab@catas.com



LAB N° 0027 Membro degli MRA EA, IAF e ILAC

# **TEST REPORT**

294881 / 5

Revision: 0

 Date received:
 03/08/20

 Date of test:
 20/08/20

 Date of issue:
 25/08/20

Sample name: CROSS 75 cm bar stool



ISILPLAST PLASTIK SAN. VE TIC. A.S. (SIESTA EXCL.)
ULUS MAH. CATALCA YOLU CAD. NO: 597
34537 TEPECIK, BUYUKCEKMECE-ISTANBUL
TR - TURKEY

# Leg forward static load test EN 1728:2012+AC:2013

## Test performed according to EN 581-2:2015

Leg forward static load test clause 6.15, EN 1728:2012+AC:2013

#### Test results:

Forward horizontal force N	Balancing seat force N	Number of cycles	Remarks
300	1.000	10	No defects

## Note:

The test results comply with the requirements in clause 7.2.2 a), b), c) and d) of EN 581-2:2015, domestic level.

This document is validated by digital signature and time stamping in accordance with the Italian laws and the European Directives which regulate the electronic signature systems.

anaging Director n Andrea Giavon

signature systems.



Testing site: via Antica, 24/3 33048 San Giovanni al Natisone (UD) tel. +39 0432 747211 lab@catas.com



LAB N° 0027 Membro degli MRA EA, IAF e ILAC

# **TEST REPORT**

294881 / 6

Revision: 0

 Date received:
 03/08/20

 Date of test:
 20/08/20

 Date of issue:
 25/08/20

Sample name: CROSS 75 cm bar stool



ISILPLAST PLASTIK SAN. VE TIC. A.S. (SIESTA EXCL.)
ULUS MAH. CATALCA YOLU CAD. NO: 597
34537 TEPECIK, BUYUKCEKMECE-ISTANBUL
TR - TURKEY

# Leg sideways static load test EN 1728:2012+AC:2013

## Test performed according to EN 581-2:2015

Leg sideways static load test clause 6.16, EN 1728:2012+AC:2013

#### Test results:

Sideways horizontal force N	Balancing seat force N	Number of cycles	Remarks
200	1.000	10	No defects

## Note:

According to EN 1728:2012+AC:2013, horizontal force has been reduced from 300 N to 200 N, to avoid tipping.

The test results comply with the requirements in clause 7.2.2 a), b), c) and d) of EN 581-2:2015, domestic level.

This document is validated by digital signature and time stamping in accordance with the Italian laws and the European Directives which regulate the electronic signature systems.

naging Director Andrea Giavon

signature systems.



Testing site: via Antica, 24/3 33048 San Giovanni al Natisone (UD) tel. +39 0432 747211 lab@catas.com



LAB N° 0027 Membro degli MRA EA, IAF e ILAC

# **TEST REPORT**

294881 / 7

Revision:

Date received: 03/08/20 Date of test: 20/08/20 Date of issue: 25/08/20

Sample name: CROSS 75 cm bar stool



ISILPLAST PLASTIK SAN. VE TIC. A.S. (SIESTA ULUS MAH. CATALCA YOLU CAD. NO: 597 34537 TEPECIK, BUYUKCEKMECE-ISTANBUL TR - TURKEY

# Seat impact test EN 1728:2012+AC:2013

## Test performed according to EN 581-2:2015

Seat impact test clause 6.24, EN 1728:2012+AC:2013

#### Test results:

Mass of impactor kg	Height of drop mm	Impact point	Number of drops	Remarks
25	180	point A	10	No defects
25	180	100 mm from the front seat edge	10	No defects

The test results comply with the requirements in clause 7.2.2 a), b), c) and d) of EN 581-2:2015, domestic level.

This document is validated by digital signature and time stamping in accordance with the Italian laws and the European Directives which regulate the electronic signature systems.

lanaging Director Andrea Giavon



Testing site: via Antica, 24/3 33048 San Giovanni al Natisone (UD) tel. +39 0432 747211 lab@catas.com



LAB N° 0027 Membro degli MRA EA, IAF e ILAC

## **TEST REPORT**

294881 / 8

Revision: 0

 Date received:
 03/08/20

 Date of test:
 20/08/20

 Date of issue:
 25/08/20

Sample name: CROSS 75 cm bar stool



ISILPLAST PLASTIK SAN. VE TIC. A.S. (SIESTA EXCL.)
ULUS MAH. CATALCA YOLU CAD. NO: 597
34537 TEPECIK, BUYUKCEKMECE-ISTANBUL
TR - TURKEY

## Foot rest static load test EN 1728:2012+AC:2013

# Test performed according to EN 581-2:2015

Foot rest static load test, clause 6.8, EN 1728:2012+AC:2013

#### Test results:

Force on foot rest N	Number of cycles	Remarks
1.000	10	No defects

#### Note:

The test results comply with the requirements in clause 7.2.2 a), b), c) and d) of EN 581-2:2015, domestic level.

This document is validated by digital signature and time stamping in accordance with the Italian laws and the European Directives which regulate the electronic signature systems.

Managing Director Dr. Andrea Giavon

signature systems.