

Date received: 03/08/20

Date of issue: 15/09/20

Report consists of 8 test reports.

Defects before testing: None

Sample name: MARCEL 75 cm bar stool ISILPLAST PLASTIK SAN. VE TIC. A.S. (SIESTA

EXCL.)

ULUS MAH. CATALCA YOLU CAD. NO: 597 34537 TEPECIK, BUYUKCEKMECE-ISTANBUL

TR - TURKEY

SAMPLE N° 294883

Overall dimensions: 440 x 530 x 1060 (h) mm

List of test reports:

- 1. Outdoor furniture General safety requirements EN 581-1:2017
- 2. Stability EN 1022:2018, clause 7.3
- 3. Seat and back static load test EN 1728:2012+AC:2013
- 4. Seat and back fatigue test EN 1728:2012+AC:2013
- 5. Leg forward static load test EN 1728:2012+AC:2013
- 6. Leg sideways static load test EN 1728:2012+AC:2013
- 7. Seat impact test EN 1728:2012+AC:2013
- 8. Foot rest static load test EN 1728:2012+AC:2013



This document is validated by digital signature and time stamping in accordance with the Italian laws and the European Directives which regulate the electronic signature systems.

la<mark>n</mark>aging Director Andrea Giavon



SAMPLE N° 294883

Date of issue: 15/09/20

Sample weight: Not determined

Sample name: MARCEL 75 cm bar stool



Side view



Bottom view



Rear view



Testing site: via Antica, 24/3 33048 San Giovanni al Natisone (UD) tel. +39 0432 747211 lab@catas.com



LAB N° 0027 Membro degli MRA EA, IAF e ILAC

TEST REPORT 294883 / 1

Revision:

Date received: 03/08/20 Date of test: 06/08/20 Date of issue: 15/09/20

Sample name: MARCEL 75 cm bar stool



ISILPLAST PLASTIK SAN. VE TIC. A.S. (SIESTA ULUS MAH. CATALCA YOLU CAD. NO: 597 34537 TEPECIK, BUYUKCEKMECE-ISTANBUL TR - TURKEY

Outdoor furniture - General safety requirements EN 581-1:2017

5.1 General:

| Requirement | Observed | Remarks |
|--|-------------|---------|
| Edges of seat, back rest and arm rests rounded and chamfered | Yes | None |
| All other parts: free from burrs, sharp edges and sharp points. | Yes | None |
| Movable and adjustable parts designed so that injuries and inadvertent operation are avoided | Not present | None |
| Any load bearing part of forniture not come loose unintentionally | Yes | None |
| Lubricated parts are protected | Not present | None |

5.2 Tubular components:

| Requirement | Observed | Remarks |
|--|----------|---------|
| Absence of tubular components with diameter > 7 mm and < 12 mm with a depth > 10 mm. | Yes | None |
| Tubulars in contact with the floor are closed. Holes in them are allowed as long as they are < 7 mm or > 12 mm | Yes | None |

5.3 Shear and squeeze points:

| olo official and oquoozo pointo. | | | | | |
|---|-------------|---------|--|--|--|
| Requirement | Observed | Remarks | | | |
| Shear and squeeze points that are created only during adjusting and folding away are acceptable if the user has the control of his/her movements. | Not present | None | | | |
| Absence of shear and squeeze points, created by parts operated by powered mechanism. | Not present | None | | | |
| Absence of shear and squeeze points, created by loads applied during normal use. | Yes | None | | | |

| Conformity to requirements of clause 5 of standard EN 581-1:2017: | YES |
|---|-----|
|---|-----|

This document is validated by digital signature and time stamping in accordance with the Italian laws and the European Directives which regulate the electronic signature systems.

> naging Director Andrea Giavon



Testing site: via Antica, 24/3 33048 San Giovanni al Natisone (UD) tel. +39 0432 747211 lab@catas.com



LAB N° 0027 Membro degli MRA EA, IAF e ILAC

TEST REPORT 294883 / 2

Revision:

Date received: 03/08/20 Date of test: 06/08/20 Date of issue: 15/09/20

Sample name: MARCEL 75 cm bar stool



ISILPLAST PLASTIK SAN. VE TIC. A.S. (SIESTA ULUS MAH. CATALCA YOLU CAD. NO: 597 34537 TEPECIK, BUYUKCEKMECE-ISTANBUL TR - TURKEY

Stability EN 1022:2018, clause 7.3

Type of chair: fixed geometry

Positioning of chair components: as specified in Table 1 of EN 1022:2018

Loads and masses according to table B1 of EN 1022:2018, annex B

Forwards overturning

Forwards overturning, clause 7.3.1 does not overturn

Forwards overturning for seating with foot rest, clause 7.3.2 overturns with the vertical force only

Corner stability, clause 7.3.3 does not overturn

Sideways overturning

Sideways overturning, all seating without arm rests, clause 7.3.4 does not overturn

Seating with arm rests, clause 7.3.5.2 Seating with raised side edges, clause 7.3.5.3

Rearwards overturning

Rearwards overturning all seating with back rests, clause 7.3.6

Minimum force required: 80 N does not overturn

Tilting seating, clause 7.4.2 / Reclining seating with leg rest, clause 7.4.3 Reclining seating without leg rest, clause 7.4.4 Rearwards stability test for rocking chairs, clause 7.4.5

The test results do not comply with the requirements in clause 7.2 of EN 1022:2018.

This document is validated by digital signature and time stamping in accordance with the Italian laws and the European Directives which regulate the electronic

naging Director Andrea Giavon

signature systems.



Testing site: via Antica, 24/3 33048 San Giovanni al Natisone (UD) tel. +39 0432 747211 lab@catas.com



LAB N° 0027 Membro degli MRA EA, IAF e ILAC

TEST REPORT

294883 / 3

Revision: Date received: 03/08/20

Date of test: 12/08/20 Date of issue: 15/09/20

Sample name: MARCEL 75 cm bar stool



ISILPLAST PLASTIK SAN. VE TIC. A.S. (SIESTA ULUS MAH. CATALCA YOLU CAD. NO: 597 34537 TEPECIK, BUYUKCEKMECE-ISTANBUL TR - TURKEY

Seat and back static load test EN 1728:2012+AC:2013

Test performed according to EN 581-2:2015

Seat and back static load test, clause 6.4, EN 1728:2012+AC:2013

Test results:

| Seat load N | Back force N | Number of cycles | Remarks |
|----------------|-----------------|------------------|------------|
| 1.600 | 410 | 10 x 10 s | No defects |
| 1.600 | 410 | 1 x 30 min | No defects |

Seat front edge static load, clause 6.5, EN 1728:2012+AC:2013

| Seat load N | Number of cycles | Remarks |
|----------------|------------------|------------|
| 1.300 | 10 | No defects |

Note:

The test results comply with the requirements in clause 7.2.2 a), b), c) and d) of EN 581-2:2015, domestic level.

This document is validated by digital signature and time stamping in accordance with the Italian laws and the European Directives which regulate the electronic

signature systems.

anaging Director



Testing site: via Antica, 24/3 33048 San Giovanni al Natisone (UD) tel. +39 0432 747211 lab@catas.com



LAB N° 0027 Membro degli MRA EA, IAF e ILAC

TEST REPORT

294883 / 4

Revision: 0

 Date received:
 03/08/20

 Date of test:
 12/08/20

 Date of issue:
 15/09/20

Sample name: MARCEL 75 cm bar stool



ISILPLAST PLASTIK SAN. VE TIC. A.S. (SIESTA EXCL.)
ULUS MAH. CATALCA YOLU CAD. NO: 597
34537 TEPECIK, BUYUKCEKMECE-ISTANBUL
TR - TURKEY

Seat and back fatigue test EN 1728:2012+AC:2013

Test performed according to EN 581-2:2015

Seat and back fatigue test, clause 6.17, EN 1728:2012+AC:2013

Test results:

| Seat force N | Back force N | Number of cycles | Remarks |
|-----------------|-----------------|------------------|------------|
| 1.000 | 333 | 25.000 | No defects |

Note:

The test results comply with the requirements in clause 7.2.2 a), b), c) and d) of EN 581-2:2015, domestic level.

This document is validated by digital signature and time stamping in accordance with the Italian laws and the European Directives which regulate the electronic signature systems.

Managing Director Pr. Andrea Giavon



Testing site: via Antica, 24/3 33048 San Giovanni al Natisone (UD) tel. +39 0432 747211 lab@catas.com



LAB N° 0027 Membro degli MRA EA, IAF e ILAC

TEST REPORT

294883 / 5

Revision: 0

 Date received:
 03/08/20

 Date of test:
 17/08/20

 Date of issue:
 15/09/20

Sample name: MARCEL 75 cm bar stool



ISILPLAST PLASTIK SAN. VE TIC. A.S. (SIESTA EXCL.)
ULUS MAH. CATALCA YOLU CAD. NO: 597
34537 TEPECIK, BUYUKCEKMECE-ISTANBUL
TR - TURKEY

Leg forward static load test EN 1728:2012+AC:2013

Test performed according to EN 581-2:2015

Leg forward static load test clause 6.15, EN 1728:2012+AC:2013

Test results:

| Forward horizontal force N | Balancing seat force N | Number of cycles | Remarks |
|----------------------------------|------------------------------|------------------|------------|
| 300 | 1.000 | 10 | No defects |

Note:

The test results comply with the requirements in clause 7.2.2 a), b), c) and d) of EN 581-2:2015, domestic level.

This document is validated by digital signature and time stamping in accordance with the Italian laws and the European Directives which regulate the electronic signature systems.

signature systems.

Managing Director Di Andrea Giavon



Testing site: via Antica, 24/3 33048 San Giovanni al Natisone (UD) tel. +39 0432 747211 lab@catas.com



LAB N° 0027 Membro degli MRA EA, IAF e ILAC

TEST REPORT

294883 / 6

Revision:

Date received: 03/08/20 Date of test: 17/08/20 Date of issue: 15/09/20

Sample name: MARCEL 75 cm bar stool



ISILPLAST PLASTIK SAN. VE TIC. A.S. (SIESTA ULUS MAH. CATALCA YOLU CAD. NO: 597 34537 TEPECIK, BUYUKCEKMECE-ISTANBUL TR - TURKEY

Leg sideways static load test EN 1728:2012+AC:2013

Test performed according to EN 581-2:2015

Leg sideways static load test clause 6.16, EN 1728:2012+AC:2013

Test results:

| Sideways horizontal force N | Balancing seat force N | Number of cycles | Remarks |
|-----------------------------------|------------------------------|------------------|------------|
| 220 | 1.000 | 10 | No defects |

Note:

According to EN 1728:2012+AC:2013, horizontal force has been reduced from 300 N to 220 N, to avoid tipping.

The test results comply with the requirements in clause 7.2.2 a), b), c) and d) of EN 581-2:2015, domestic level.

This document is validated by digital signature and time stamping in accordance with the Italian laws and the European Directives which regulate the electronic

signature systems.

naging Director Andrea Giavon



Testing site: via Antica, 24/3 33048 San Giovanni al Natisone (UD) tel. +39 0432 747211 lab@catas.com



LAB N° 0027 Membro degli MRA EA, IAF e ILAC

TEST REPORT

294883 / 7

Revision: Date received:

03/08/20 Date of test: 17/08/20 Date of issue: 15/09/20

Sample name: MARCEL 75 cm bar stool



ISILPLAST PLASTIK SAN. VE TIC. A.S. (SIESTA ULUS MAH. CATALCA YOLU CAD. NO: 597 34537 TEPECIK, BUYUKCEKMECE-ISTANBUL TR - TURKEY

Seat impact test EN 1728:2012+AC:2013

Test performed according to EN 581-2:2015

Seat impact test clause 6.24, EN 1728:2012+AC:2013

Test results:

| Mass of impactor kg | Height of drop mm | Impact point | Number of drops | Remarks |
|---------------------|-------------------|---------------------------------|--------------------|------------|
| 25 | 180 | point A | 10 | No defects |
| 25 | 180 | 100 mm from the front seat edge | 10 | No defects |

Note:

The test results comply with the requirements in clause 7.2.2 a), b), c) and d) of EN 581-2:2015, domestic level.

This document is validated by digital signature and time stamping in accordance with the Italian laws and the European Directives which regulate the electronic

naging Director Andrea Giavon

signature systems.



Revision:

CATAS S.p.A. via Antica, 24/3 33048 San Giovanni al Natisone (UD) +39 0432 747211 - lab@catas.com www.catas.com Testing site: via Antica, 24/3 33048 San Giovanni al Natisone (UD) tel. +39 0432 747211 lab@catas.com



LAB N° 0027 Membro degli MRA EA, IAF e ILAC

TEST REPORT

294883 / 8

 Date received:
 03/08/20

 Date of test:
 21/08/20

 Date of issue:
 15/09/20

Sample name: MARCEL 75 cm bar stool



ISILPLAST PLASTIK SAN. VE TIC. A.S. (SIESTA EXCL.)
ULUS MAH. CATALCA YOLU CAD. NO: 597
34537 TEPECIK, BUYUKCEKMECE-ISTANBUL
TR - TURKEY

Foot rest static load test EN 1728:2012+AC:2013

Test performed according to EN 581-2:2015

Foot rest static load test, clause 6.8, EN 1728:2012+AC:2013

Test results:

| Force on foot rest N | Number of cycles | Remarks |
|----------------------|------------------|------------|
| 1.000 | 10 | No defects |

Note:

The test results comply with the requirements in clause 7.2.2 a), b), c) and d) of EN 581-2:2015, domestic level.

This document is validated by digital signature and time stamping in accordance with the Italian laws and the European Directives which regulate the electronic signature systems.

aging Director

signature systems.